

Weber Lane

W101-12SACS - ENCLOSED ALUMINUM SNOW TRAILER



12 Foot Single Axle Trailer Specs

| | |
|---|---|
| 12'(L) x 101"(W) x 7'8"(H) | 16" Floor Cross Members/Wall & Roof Centers |
| Mill Finished Trim & Stainless Screws | 16" Front Radius Curve with Checkerplate |
| 3/4" Water Resistant Decking | 2" Adjustable Ball Coupler & Tongue Jack |
| 3500LB 5-Bolt Straight Spring Axle | 12" Kickplate & .030 Smooth Skin Exterior (Screwless) |
| 7'9"(W) x 5'2"(H) Rear Opening Door | Full Frame Wishbone-Style Tongue |
| 5'4" Interior Height with Side Flow Vents | 3/4" Water Resistant Decking |
| 24" x 64" Side Access Door | LED Exterior Lighting Interior Dome Lighting |
| ST175-80-R13 5-Bolt Tire | Rear Ramp with Spring Assist Checkerplate Transition |
| Fully Galvanized Rims | Stainless Bar Locks & Trim Screws |
| *Optional Front Hatch | *Optional Full Length Slide Track |

**For More Information
Please Contact our
Head Office:**

Tel: 519.291.5035

or visit

WWW.WEBERLANE.COM



W715SACS - ENCLOSED ALUMINUM CARGO TRAILER



Snowmobile & Hobby TRAILERS

Snow machines have become expensive high quality toys. Trust a Weberlane Enclosed Snowmobile trailer to protect your investment from the elements while providing you with a universal trailer to be used for a variety of jobs. Weberlane Snow Series trailers maximize useable trailer space while keeping balance and towability in mind for 1/2 ton trucks.

Aluminum Rims

Heavy Duty D-Rings



Trailer Specifications

| | |
|---------------------------------------|---|
| 7'(W) x 16'(L) Enclosed Trailer | 16" Floor Cross Members/Wall & Roof Centers |
| Mill Finished Trim & Stainless Screws | 16" Front Radius Curve with Checkerplate |
| 3/4" Water Resistant Decking | 2" Coupler & Tongue Jack |
| 3500 lb Idler Axle | 12" Kickplate |
| 61 x 76" Rear Opening Door | Full Frame Wishbone-Style Tongue |
| 66" Interior Height | 6 Sliding D-Rings |
| 18" x 48" Front Access Door | LED Exterior Lighting |
| 24 x 64" Side Access Door | Rear Ramp with Spring Assist & Starter Flap |
| Side Flow Vents | 12 x 12" Fuel Door with Paddle Handle |
| 15" Aluminum Rims/Wheels | Interior Dome Lighting |
| .030 Smooth Skin (Screweless) | Stainless Bar Locks & Trim Screws |

**For More Information
Please Contact our
Head Office:**

Tel: 519.291.5035

or visit

WWW.WEBERLANE.COM



W715SACT - TANDEM ENCLOSED ALUMINUM CARGO TRAILER



Tandem Trailer Specifications

| | |
|---------------------------------------|--|
| 7'(W) x 16'(L) Enclosed Trailer | 16" Floor Cross Members/Wall & Roof Centers |
| Mill Finished Trim & Stainless Screws | 16" Front Radius Curve with Checkerplate |
| 3/4" Water Resistant Decking | 2-5/16 Adjustable Ball Coupler & Tongue Jack |
| Tandem 3500LB Idler Axle w/ Brakes | 12" Kickplate |
| 61 x 76" Rear Opening Door | Full Frame Wishbone-Style Tongue |
| 66" Interior Height | 6 Sliding D-Rings |
| 18" x 48" Front Access Door Option | LED Exterior Lighting |
| 24 x 64" Side Access Door | Rear Ramp with Spring Assist & Starter Flap |
| Side Flow Vents | 12 x 12" Fuel Door with Paddle Handle |
| 15" Aluminum Rims/Wheels | Interior Dome Lighting |
| .030 Smooth Skin (Screwless) | Stainless Bar Locks & Trim Screws |

**For More Information
Please Contact our
Head Office:**

Tel: 519.291.5035

or visit


WWW.WEBERLANE.COM

WeberLane

W722HSACT - TANDEM ENCLOSED ALUMINUM CARGO TRAILER

Highway Series

* Model shown with optional full front checkerplate *



22 Foot Tandem Trailer Specs

| | |
|---------------------------------------|--|
| 7'(W) x 22'(L) Enclosed Trailer | 16" Floor Cross Members/Wall & Roof Centers |
| Mill Finished Trim & Stainless Screws | 16" Front Radius Curve with Checkerplate |
| 3/4" Water Resistant Decking | 2-5/16 Adjustable Ball Coupler & Tongue Jack |
| Tandem 3500LB Axle w/ 4-Wheel Brakes | 12" Kickplate |
| 67 x 78" Rear Opening Door | Full Frame Wishbone-Style Tongue |
| 72" Interior Height | 6 Interior Sliding D-Rings |
| 24 x 64" Side Access Door | LED Exterior Lighting Interior Dome Lighting |
| Side Flow Vents | Rear Ramp with Spring Assist & Starter Flap |
| 15" Aluminum Rims/Wheels | 12 x 12" Fuel Door with Paddle Handle |
| .030 Smooth Skin (Screwless) | Stainless Bar Locks & Trim Screws |

**For More Information
Please Contact our
Head Office:**

Tel: 519.291.5035

or visit

WWW.WEBERLANE.COM